GENERAL
CATALOGUE

CERAMIC TILES

SAUDI MADE

الخزف السعودي
Saudi Ceramics

Index

Our ceramic tiles are available in a variety of sizes, thickness, and finishings to cater to every customers needs and requirements.

30x60x0.9 cm

PGS 04-39

Icon guide

بلاط ارضيات	بلاط الحائط	لامع	مطفي	مطفي حريري	مقاس متطابق	أوجة مختلفة	استخدام خارجي	بركة السباحة	استخدام ثقيل
FLOOR TILE	WALL TILE	GLOSSY	MATT	SILK MATT	RECTIFIED	RANDOM FACES	EXTERIOR USE	POOL	HEAVY DUTY

الخزف السعودي
Saudi Ceramics

Page elements layout guide

This catalogue contains all the information, details and characteristics available at printing time. The manufacturer, however, reserves the right to introduce modifications or changes as deemed appropriate for product improvement and the benefit of customers.

The entire contents of this catalogue are copyright. No pictures, texts, illustrations or graphic concepts may be reproduced, either wholly or partially, without the express permission of Saudi Ceramics.

All colours and hues appearing in this catalogue should be considered approximate due to the printing process involved.




Wall tiles
30x60x0.9 cm





Wall tile (8 Faces)
110136285900916
30x60x0.9 cm

Wall tile (8 Faces)
110136305900916
30x60x0.9 cm



Wall tile (8 Faces)
110136295900916
30x60x0.9 cm



Floor tile (8 Faces)
110136280700904
30x30x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338





Wall tile (8 Faces)
110136315900916
30x60x0.9 cm



Wall tile (8 Faces)
110136335900916
30x60x0.9 cm



Wall tile (8 Faces)
110136325900916
30x60x0.9 cm

Floor tile (8 Faces)
110136310700904
30x30x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338





Wall tile (4 Faces)
110124305900916
30x60x0.9 cm



Wall tile (4 Faces)
110124315900916
30x60x0.9 cm



Floor tile (4 Faces)
110124300700904
30x30x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338





Wall Tile (4 Faces)
110124325900916
30x60x0.9 cm

Wall Tile (4 Faces)
110124345900916
30x60x0.9 cm

Wall Tile (4 Faces)
110124335900916
30x60x0.9 cm



Floor Tile (4 Faces)
110124320700904
30x30x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338



Wall Tile (4 Faces)
110124355900916
30x60x0.9 cm

Wall Tile (4 Faces)
110124375900916
30x60x0.9 cm



Wall Tile (4 Faces)
110124365900916
30x60x0.9 cm

Floor Tile (4 Faces)
110124350700904
30x30x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338





Wall Tile
110127725900916
30x60x0.9 cm

Wall Tile
110127735900916
30x60x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338





Wall tile (4 Faces)
110109685900916
30x60x0.9 cm



Wall tile (4 Faces)
110109695900916
30x60x0.9 cm



Floor tile (4 Faces)
110109680700904
30x30x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338



Wall tile (4 Faces)
110109665900916
30x60x0.9 cm



Wall tile (4 Faces)
110109675900916
30x60x0.9 cm

Floor tile (4 Faces)
110109660700904
30x30x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338





Wall tile (2 Faces)
110109645900916
30x60x0.9 cm



Wall tile (2 Faces)
110109655900916
30x60x0.9 cm



Floor tile (4 Faces)
110109650700904
30x30x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338





Wall tile (2 Faces)
110109625900916
30x60x0.9 cm



Wall tile (2 Faces)
110109635900916
30x60x0.9 cm



Floor tile (4 Faces)
110109620700904
30x30x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338



Wall tile (6 Faces)
110101885900916
30x60x0.9 cm



Wall tile (6 Faces)
110101895900916
30x60x0.9 cm

Floor tile (6 Faces)
110101880700904
30x30x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338





Wall tile (6 Faces)
110101865900916
30x60x0.9 cm



Wall tile (6 Faces)
110101875900916
30x60x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338

Floor tile (6 Faces)
110101860700904
30x30x0.9 cm





Wall tile (4 Faces)
110101715900916
30x60x0.9 cm



Wall tile (4 Faces)
110101725900916
30x60x0.9 cm



Floor tile (4 Faces)
110101710700904
30x30x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338





Wall tile (4 Faces)
110101645900916
30x60x0.9 cm

Wall tile (4 Faces)
110101655900916
30x60x0.9 cm



Floor tile (4 Faces)
110101640700904
30x30x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338



Wall tile (4 Faces)
110101625900916
30x60x0.9 cm



Wall tile (4 Faces)
110101635900916
30x60x0.9 cm



Floor tile (4 Faces)
110101620700904
30x30x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338



Wall tile (4 Faces)
110101605900916
30x60x0.9 cm

Wall tile (4 Faces)
110101615900916
30x60x0.9 cm

Floor tile (4 Faces)
110101600700904
30x30x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338





Wall tile (4 Faces)
110101565900916
30x60x0.9 cm



Wall tile (4 Faces)
110101575900916
30x60x0.9 cm

Wall tile (4 Faces)
110101585900916
30x60x0.9 cm



Wall tile (4 Faces)
110101595900916
30x60x0.9 cm



Floor tile (4 Faces)
110101560700904
30x30x0.9 cm

PACKING		BOX			PALLET		
Size	Thickness	Pcs/Box	Sqm/Box	Kgs/Box	Box/Pallet	Sqm/Pallet	Kgs/Pallet
			m^2	Kg		m^2	Kg
30x60 cm	0.9 cm	9	1.62	26.100	48	77.76	1278
30x30 cm	0.9 cm	22	1.98	31.400	42	83.16	1338

TECHNICAL SPECIFICATION

Technical Specification for Glazed Ceramic Tiles
*Specifications # SASO/ISO 13006
GROUP BIIa

Symbol	Technical Characteristics	Standard Test Methods	*International Standard ISO 13006 Group BIIa	Saudi Ceramics Specifications
	Length & Width 7 cm ≤ N < 15 cm N ≥ 15 cm	ISO10545 - Part 2	± 0.9 mm ± 0.6%	± 0.9 mm ± 0.6%
	Thickness deviation %	ISO10545 - Part 2	+ 5.0%	+ 5.0%
	Straightness	ISO10545 - Part 2	± 0.5%	± 0.5%
	Rectangularity	ISO10545 - Part 2	± 0.5%	± 0.5%
	Flatness deviation (%)	ISO10545 - Part 2	+ 0.5%	+ 0.35%
	Water Absorption (%)	ISO10545 - Part 3	3% < E <= 6%	3% < E <= 6%
	Modulus of Rupture (MOR)	ISO10545 - Part 4	>=22 N/mm2	>=22 N/mm2
	Breaking Strength Thickness ≥ 7.5 mm Thickness < 7.5 mm	ISO10545 - Part 4	>=1000N >=600N	>=1100N >=600N
	Resistance to Surface abrasion (Class)	ISO10545 - Part 7	Manufacturer to state abrasion class	2-5
	Coefficient of Linear thermal Expansion	ISO10545 - Part 8	Test method available	< 8x10-6 ºK-1
	Resistance to Thermal shock	ISO10545 - Part 9	No Visible defect	No Visible defect
	Crazing Resistance	ISO10545 - Part 11	Required	Resistant
	Resistance to Household Chemicals (Class)	ISO10545 - Part 13	Min. B	Min. B
	Resistance to Acids & Alkalis	ISO10545 - Part 13	Test method available	Min. B
	Resistance to stains (Class)	ISO10545 - Part 14	Min. 3	Min. 3
	Hardness Moh's scale (Class)	-	-	Min.6

TECHNICAL SPECIFICATION

Technical Specification for Glazed Ceramic Tiles
*Specifications # SASO/ISO 13006
GROUP BIII

Symbol	Technical Characteristics	Standard Test Methods	*International Standard ISO 13006 Group BIII	Saudi Ceramics Specifications
	Length & Width 7 cm ≤ N < 15 cm N ≥ 15 cm	ISO10545 - Part 2	± 0.9 mm ± 0.6%	± 0.9 mm ± 0.6%
	Thickness deviation %	ISO10545 - Part 2	+ 10%	+ 5.0%
	Straightness	ISO10545 - Part 2	± 0.5%	± 0.5%
	Rectangularity	ISO10545 - Part 2	± 0.3%	± 0.3%
	Flatness deviation (%)	ISO10545 - Part 2	+ 0.5%	+ 0.35%
	Water Absorption (%)	ISO10545 - Part 3	10% < E <= 20%	16 ± 2%
	Modulus of Rupture (MOR) Thickness ≥ 7.5 mm Thickness < 7.5 mm	ISO10545 - Part 4	>=12 N/mm2 >=15 N/mm2	>=15 N/mm2
	Breaking Strength Thickness ≥ 7.5 mm Thickness < 7.5 mm	ISO10545 - Part 4	>=600N >=200N	>=800N
	Resistance to Surface abrasion (Class)	ISO10545 - Part 7	Manufacturer to state abrasion class	2-5
	Coefficient of Linear thermal Expansion	ISO10545 - Part 8	Test method available	< 8x10-6 ºK-1
	Resistance to Thermal shock	ISO10545 - Part 9	No Visible defect	No Visible defect
	Crazing Resistance	ISO10545 - Part 11	Required	Resistant
	Resistance to Household Chemicals (Class)	ISO10545 - Part 13	Min. B	Min. B
	Resistance to Acids & Alkalis	ISO10545 - Part 13	Test method available	Min. B
	Resistance to stains (Class)	ISO10545 - Part 14	Min. 3	Min. 3
	Hardness Moh's scale (Class)	-		Min.6

الخزف السعودي
Saudi Ceramics

للحجز و الاستفسار: 920011124

tamara baseeta tabby

saudiceramics
shop.saudiceramics.com

Download on the App Store
Google play

V15